Description

Specification Shipping & Returns

Reviews

Home > Arts & Crafts & Sewing > Jewelry Making & Repair > Melting Furnace







Automatic 2kg Melting Furnace 2Kilo Silver Gold Pour Bar w/ Graphite Crucible B

★★★★ 5.0 ∨ 5 Reviews £189.99 \$278.70 Save £88.71 (32%) Color: Red Red Capacity: 2 kg 2 kg

- 【PURE GRAPHITE CRUCIBLE】 The crucible is made of pure graphite to ensure high heat resistance. The crucible is formed by rotation so that the stability of the mineral is wholly maintained. The groove design facilitates the pouring and filling of the melt.
- . [HIGHLY ADVANCED PID MODULE] The silver melting furnace is equipped with an advanced PID module and digital control system to provide accurate and convenient metal melting. The highest adjustable temperature of our product is 1150 degrees Celsius which is monitored every 2 seconds without overheating or cooling
- 【HEAT-RESISTANT DESIGN】 Uses heat-resistant and useful insulation materials. Radially arranged heating elements are fully functional and produce a uniform temperature distribution in the melting crucible. High performance and effective insulation ensure that the required melting temperature is reached quickly.
- 【INSULATION GRID & TONGS】 Insulation grids prevent accidental contact with the heating chamber. The melting crucible is equipped with a melting clamp which fits into the groove around the crucible head, allowing you to use the hot melt crucible safely.
- 【EXTENSIVE USAGE SCENARIO】 When the gold melting furnace runs without a crucible (with the cover on). it can reach more than 1000 degrees Celsius in about 12-20 minutes; When the crucible is placed, it needs 20-30 minutes to reach that degrees. This furnace using premium materials can meet industry and workshops' requirements, which are suitable for processing precious metals such as gold, silver, and copper.









People Who Bought This Item Also Bought

፟፟፟፟፟፟፟፟፟፟፟



VEVOR 3KG Rotary Tumbler Jewelry Polisher Finisher 45W w/ Beads for Rocks Stone

£45.99

95 Reviews



3018 Pro CNC Router 3 Axis w/ Offline Controller CNC Engraving Machine 10000RPM

£120.99 £180.85 Save £59.86(33%)



Block Ball Vise 3" With 30pcs Attachment 2 Inch Opening Full Set Stone Setting

£ 59.99 ===== Save £28.07(32%)



VEVOR 3018 Pro CNC Router Machine Engraver w/ Offline Controller Wood PVC Cutter

£119.99 8173.70 Save £53.71(31%)





Description

Specification

Shipping & Returns Reviews Questions and Answers

Wholesale Inquiry COLD MELLING FURNACE MAX. HEATING TEMPERATURE: 1150 °C **CAPACITY: 2KG**



2 KG Digital Automatic Melt Furnace

The 2 kg digital automatic melt furnace with compact design is ideal for professional use. By using high-quality materials, the smelting furnace can meet the requirements of the industry. and the workshop, are suitable for the processing of precious metals such as gold, silver, and copper.

- Premium Crucible
- Highly Advanced PID
- Heat-Resistant Design
- Insulation Grid & Crucible Tongs

VEVOR®

Tough Equipment & Tools, Pay

VEVOR is a leading brand that specializes in equipment and tools Along with thousands of motivated employees, VEVOR is dedicated to providing our customers with tough equipment & tools at incredibly low prices. Today, VEVOR has occupied markets of more than 200 countries with 10 million plus global members

Why Choose VEVOR?

- Premium Tough Quality
- Incredibly Low Prices
- · Fast & Secure Delivery
- · 30-Day Free Returns
- 24/7 Attentive Service



High-Temperature Material

High-purity graphite crucible, with characteristics of heat resistance, acid and alkali resistance, aging resistance, etc., Automatic Melt Furnace has a long service life.



DIGITAL CONTROL SYSTEM

Digital Control System

Digital Melting Furnace Machine Equipped with advanced digital control system, accurate and convenient metal melting, avoiding overheating or cooling



HIGH EFFICIENCY

High Efficiency

The highest adjustable temperature of aluminum melting furnace is 1150 degrees Celsius, high-temperature resistance, fast and efficient heating.



Heat Insulation Grid

Electric Casting Refining Furnace has a heat Insulation grid, which prevents accidental contact with the heating



CRUCIBLE TONGS & D

Crucible Tongs & Double Handle

Crucible pliers are made of high-quality materials, which are rust-proof, & durable. Metal casting machines features double handle design, compact body, easy to carry.



Wide Application

Copper Melting Furnace is an ideal furnace for industrial and workshops professional use, suitable for smelting processing of gold, pure silver, pure copper, and aluminum.

Specifications

- Colour: Red
- Capacity: 2 KG
- Power Input: 1750W
- Input Voltage: 220V, 50 Hz
- Max. Heating Temperature: 1150 $^{\circ}\mathrm{C}$ (2102 °F)
- Measuring Accuracy of Heating



Package Content

Questions and Answers Wholesale Inquiry

Description

Specification

Shipping & Returns

(Dia. x H): 4.4 x 14 cm (1.73 x 5.51

Reviews

- Melting Crucible Outside Dimensions (Dia. x H): 7.2 x 15.5 cm
- Measurements (L x W x H): 35 x 25 inches)

(2.83 x 6.10 inches)

- Net Weight: 12.5 kg (27.56 lbs)
- Shipping Dimensions (L x W x H): 38.5 x 38.5 x 42.5 cm (15.16 x 15.16
- Gross Weight: 15 kg (33.07 lbs)

Specification

Capacity 2 KG Power Input 1750W Input Voltage 220V, 50 Hz Max. Heating Temperature 1150 °C (2102 °F) Measuring Accuracy of Heating Range ± 0.5% Ambient Temperature 0-50 °C (32-122 °F) Environment Humidity 30-85% Melting Crucible Internal Dimensions (Dia, x H) 4.4 x 14 cm (1.73 x 5.51 inches) Melting Crucible Outside Dimensions (Dia, x H) 7.2 x 15.5 cm (2.83 x 6.10 inches) Measurements (L x W x H) 35 x 25 x 38 cm (13.77 x 9.84 x 14.96 inches) Net Weight 12.5 kg (27.56 ibs) Shipping Dimensions (L x W x H) 38.5 x 38.5 x 42.5 cm (15.16 x 15.16 x 16.73 inches)		
Power Input 1750W Input Voltage 220V, 50 Hz Max. Heating Temperature 1150 °C (2102 °F) Measuring Accuracy of Heating Range ± 0.5% Ambient Temperature 0-50 °C (32-122 °F) Environment Humidity 30-85% Meiting Crucible Internal Dimensions (Dia. x H) 4.4 x 14 cm (1.73 x 5.51 inches) Meiting Crucible Outside Dimensions (Dia. x H) 7.2 x 15.5 cm (2.83 x 6.10 inches) Measurements (L x W x H) 35 x 25 x 38 cm (13.77 x 9.84 x 14.96 inches) Net Weight 12.5 kg (27.56 lbs) Shipping Dimensions (L x W x H) 38.5 x 38.5 x 42.5 cm (15.16 x 15.16 x 16.73 inches)	Colour	Red
Input Voltage 220V, 50 Hz Max. Heating Temperature 1150 ℃ (2102 ℉) Measuring Accuracy of Heating Range ± 0.5% Ambient Temperature 0-50 ℃ (32-122 ℉) Environment Humidity 30-85% Melting Crucible Internal Dimensions (Dia. x H) 4.4 x 14 cm (1.73 x 5.51 inches) Melting Crucible Outside Dimensions (Dia. x H) 7.2 x 15.5 cm (2.83 x 6.10 inches) Measurements (L x W x H) 35 x 25 x 38 cm (13.77 x 9.84 x 14.96 inches) Net Weight 12.5 kg (27.56 lbs) Shipping Dimensions (L x W x H) 38.5 x 38.5 x 42.5 cm (15.16 x 15.16 x 16.73 inches)	Capacity	2 KG
Max. Heating Temperature 1150 °C (2102 °F) Measuring Accuracy of Heating Range ± 0.5% Ambient Temperature 0-50 °C (32-122 °F) Environment Humidity 30-85% Melting Crucible Internal Dimensions (Dia. x H) 4.4 x 14 cm (1.73 x 5.51 inches) Melting Crucible Outside Dimensions (Dia. x H) 7.2 x 15.5 cm (2.83 x 6.10 inches) Measurements (L x W x H) 35 x 25 x 38 cm (13.77 x 9.84 x 14.96 inches) Net Weight 12.5 kg (27.56 lbs) Shipping Dimensions (L x W x H) 38.5 x 38.5 x 42.5 cm (15.16 x 15.16 x 16.73 inches)	Power Input	1750W
Measuring Accuracy of Heating Range ± 0.5% Ambient Temperature 0-50 °C (32-122 °F) Environment Humidity 30-85% Melting Crucible Internal Dimensions (Dia. x H) 4.4 x 14 cm (1.73 x 5.51 inches) Melting Crucible Outside Dimensions (Dia. x H) 7.2 x 15.5 cm (2.83 x 6.10 inches) Measurements (L x W x H) 35 x 25 x 38 cm (13.77 x 9.84 x 14.96 inches) Net Weight 12.5 kg (27.56 lbs) Shipping Dimensions (L x W x H) 38.5 x 38.5 x 42.5 cm (15.16 x 15.16 x 16.73 inches)	Input Voltage	220V, 50 Hz
Range £ 0.5% Ambient Temperature 0-50 °C (32-122 °F) Environment Humidity 30-85% Melting Crucible Internal Dimensions (Dia. x H) 4.4 x 14 cm (1.73 x 5.51 inches) Melting Crucible Outside Dimensions (Dia. x H) 7.2 x 15.5 cm (2.83 x 6.10 inches) Measurements (L x W x H) 35 x 25 x 38 cm (13.77 x 9.84 x 14.96 inches) Net Weight 12.5 kg (27.56 lbs) Shipping Dimensions (L x W x H) 38.5 x 38.5 x 42.5 cm (15.16 x 15.16 x 16.73 inches)	Max. Heating Temperature	1150 °C (2102 °F)
Environment Humidity 30-85% Melting Crucible Internal Dimensions (Dia. x H) 4.4 x 14 cm (1.73 x 5.51 inches) Melting Crucible Outside Dimensions (Dia. x H) 7.2 x 15.5 cm (2.83 x 6.10 inches) Measurements (L x W x H) 35 x 25 x 38 cm (13.77 x 9.84 x 14.96 inches) Net Weight 12.5 kg (27.56 lbs) Shipping Dimensions (L x W x H) 38.5 x 38.5 x 42.5 cm (15.16 x 16.73 inches)	Measuring Accuracy of Heating Range	± 0.5%
Melting Crucible Internal Dimensions (Dia. x H) 4.4 x 14 cm (1.73 x 5.51 inches) Melting Crucible Outside Dimensions (Dia. x H) 7.2 x 15.5 cm (2.83 x 6.10 inches) Measurements (L x W x H) 35 x 25 x 38 cm (13.77 x 9.84 x 14.96 inches) Net Weight 12.5 kg (27.56 lbs) Shipping Dimensions (L x W x H) 38.5 x 38.5 x 42.5 cm (15.16 x 15.16 x 16.73 inches)	Ambient Temperature	0-50 ℃ (32-122 ℉)
Dimensions (Dia. x H) 4.4 x 14 cm (1.73 x 5.51 inches) Melting Crucible Outside Dimensions (Dia. x H) 7.2 x 15.5 cm (2.83 x 6.10 inches) Measurements (L x W x H) 35 x 25 x 38 cm (13.77 x 9.84 x 14.96 inches) Net Weight 12.5 kg (27.56 lbs) Shipping Dimensions (L x W x H) 38.5 x 38.5 x 42.5 cm (15.16 x 16.73 inches)	Environment Humidity	30-85%
Dimensions (Dia. x H) 7.2 x 13.5 dil (2.53 x 0.10 linches) Measurements (L x W x H) 35 x 25 x 38 cm (13.77 x 9.84 x 14.96 inches) Net Weight 12.5 kg (27.56 lbs) Shipping Dimensions (L x W x H) 38.5 x 38.5 x 42.5 cm (15.16 x 16.73 inches)	Melting Crucible Internal Dimensions (Dia. x H)	4.4 x 14 cm (1.73 x 5.51 inches)
Net Weight 12.5 kg (27.56 lbs) Shipping Dimensions (L x W x H) 38.5 x 38.5 x 42.5 cm (15.16 x 16.73 inches)	Melting Crucible Outside Dimensions (Dia. x H)	7.2 x 15.5 cm (2.83 x 6.10 inches)
Shipping Dimensions (L x W x H) 38.5 x 38.5 x 42.5 cm (15.16 x 15.16 x 16.73 inches)	Measurements (L x W x H)	35 x 25 x 38 cm (13.77 x 9.84 x 14.96 inches)
	Net Weight	12.5 kg (27.56 lbs)
Gross Weight 15 kg (33.07 lbs)	Shipping Dimensions (L x W x H)	38.5 x 38.5 x 42.5 cm (15.16 x 15.16 x 16.73 inches)
	Gross Weight	15 kg (33.07 lbs)

Shipping & Returns

Shipping Policy

Note: Shipping time is influenced by the COVID-19, cargoes delivered time put off 3 days!

Shipping Times

- We adopt the UPS Ground, DHL Ground, GLS only ship your orders within United Kingdom
- UPS Ground : Shipping Time 2-6 business days.
- DHL Ground : Shipping Time 2-6 business days
- GLS: Shipping Time 2-6 business days
- DHL Heavy Cargoes: Shipping Time 5-10 business days
- Delivery Time: 1-5 DAYS (1-5 DAYS FOR 99% OF UK).
- Processing Time: 1 day.
- SHIP FROM Jenec & Boulevard.

About Modification

- Once your payment is completed, please inform by phone or E-mail if any modification is needed before we dispatch your package
- The customer will be responsible for all extra fees caused by address alternation if contact is made after item has been dispatched.

International Purchase

• Import duties, taxes and charges are not included in item price or shipping charges. International buyers should be responsible for these charges

- Every single product is backed by a 12-months Warranty and a 30-day return policy from the date of purchase. Special circumstances will be listed clearly in the listing.
- If you need to return a product and get a refund, please contact us for address(support@vevor.co.uk).

Description

Specification Shipping & Returns Reviews Questions and Answers

- Please do check everything carefully after you received the parcel, any the damage except DOA (Dead-On-Arrival) would not be covered if it's related to man-made damage. If your item has been damaged in transit or become faulty in warranty period, please email us with pictures or video to show the problem.
- All returns must be pre-approved. Unauthorized returns will not be accepted.
- Check twice to confirm the item not work and contact our customer service representative, let us know the detailed problem and send us some pictures for confirmation
- The same warranty is provided for replaced products as the returned ones

If you are shipping the product

- Carefully pack the item(s) in original package
- Stick the shipping label we offered on the outer
- Refund would be processed after the item is received by our warehouse staff, which is confirmed to be unopened and in good condition.
- For assistance on return, please send a message to: support@vevor.co.uk.

Customer Reviews





Customer Ratings







Everything works very well, just as described. I use this to melt down scrap metal for lost wax casting, and this suits my needs perfectly. I can set it running and leave it to get to work melting everything down and come back when it_ready to go. Very compact and clean. Really easy.







A wide comparison search as always. Exact description. All components well made. Best price. Quality purchase

Oct 11, 2020

Oct 13, 2020

₾ 0



Really impressed with this product. Easy to use and well built. Can't fault this product.

Sep 12, 2020

<u>6</u>0

6 1



I used it to melt old bits of copper water pipe and added tin to make bronze. Had to cut the copper up small to fit enough into the crucible but it worked fine. I'd never done anything like this before so I was surprised how easy it was. Making the moulds is much harder. Goin to try it with some aluminium next



Sep 06, 2020

6 1



Color: Red Capacity: 2 kg

★ ★ ★ ★ Very good value for quality of it

My teenage son wanted to experiment melting metals. I purchased cheaper thing of ebay which was absolute rubbish tbh. When we received this it was clear it was much better quality and came with everything needed. Heated relatively quickly and had accurate temperature readings. Son was very happy though now the novelty is over I wonder when he will experiment again lol...

Sep 05, 2020

<u>6</u>0

See All Customer Reviews >

	Capacity: 2 kg	Furnace 2Kilo 5	ilver Gold Four B	ar w/ Graphite Crucible	Price: £189	.99	Add to Cart
Description	Specification	Shipping & Re	Returns Review	ws Questions and A	nswers Wh	nolesale Inquiry	
Typical questions asked a	bout products: Is the	ne product durable?					
	_						
Wholesale Inc	•						
We provide extra competition	e discount, exclusive	ely better service and r	more technical support for	or our distributors.			
*Company Name:							
*Email:							
*Quantities:	ase enter a quantit	ty greater than 10					
Quantities:	ase enter a quantit	ty greater man 10.					
Message:							
				0 / 1000			
	Submit						
People Who \		Item Also V	^r iewed				
People Who \		Item Also V	/iewed				
People Who \		Item Also V	/iewed				- A
People Who \		Item Also V	/iewed				
People Who \		Item Also V	/iewed		O		
People Who		Item Also V	/iewed				
People Who \		Item Also V	/iewed				
People Who N		Item Also V	/iewed				
VEVOR 3KG Rotary Turn	/iewed This	3018 Pro CNC R	Router 3 Axis w/	Block Ball Vise 3" With		VEVOR 3018 Pro CNC	
	/iewed This		Router 3 Axis w/	Block Ball Vise 3" With Attachment 2 Inch Op Stone Setting		VEVOR 3018 Pro CNC Machine Engraver W. C Controller Wood PVC C	Offline
VEVOR 3KG Rotary Tum Polisher Finisher 45W w/	/iewed This	3018 Pro CNC R Offline Controller	Router 3 Axis w/ r CNC Engraving RPM	Attachment 2 Inch Ope		Machine Engraver w/ C	Offline Cutter
VEVOR 3KG Rotary Tum Polisher Finisher 45W w/ Rocks Stone	/iewed This	3018 Pro CNC R Offline Controller Machine 10000R	Router 3 Axis w/ r CNC Engraving RPM	Attachment 2 Inch Ope Stone Setting	ening Full Set	Machine Engraver w/ C Controller Wood PVC C	Offline Cutter
VEVOR 3KG Rotary Tum Polisher Finisher 45W w/ Rocks Stone £45.99	/iewed This	3018 Pro CNC R. Offline Controller Machine 10000R	Router 3 Axis w/ r CNC Engraving RPM	Attachment 2 Inch Operation Stone Setting		Machine Engraver w/ Controller Wood PVC C	Offline Cutter
VEVOR 3KG Rotary Tum Polisher Finisher 45W w/ Rocks Stone	/iewed This	3018 Pro CNC R Offline Controller Machine 10000R £ 120.99 £ Save £59.86(33	Router 3 Axis w/ r CNC Engraving RPM	Attachment 2 Inch Operations Setting £ 59.99 £38.96 Save £28.07(32%)	ening Full Set	Machine Engraver w/ Controller Wood PVC Co	Offline Cutter
VEVOR 3KG Rotary Tum Polisher Finisher 45W w/ Rocks Stone	/iewed This	3018 Pro CNC R Offline Controller Machine 10000R £ 120.99 £ Save £59.86(33	Router 3 Axis w/ r CNC Engraving RPM	Attachment 2 Inch Operations Setting £ 59.99	ening Full Set	Machine Engraver w/ Controller Wood PVC Controller Wood PVC C £ 119.99 £473.7 Save £53.71(31%) 22 Reviews	Offline Cutter
VEVOR 3KG Rotary Tum Polisher Finisher 45W w/ Rocks Stone & 45.99 95 Reviews	/iewed This	3018 Pro CNC R Offline Controller Machine 10000R £ 120.99 € Save £59.86(33) 9 Reviews	Router 3 Axis w/r CNC Engraving RPM (\$180.86 3%)	Attachment 2 Inch Ope Stone Setting £ 59.99	ening Full Set	Machine Engraver w/ Controller Wood PVC Controller Wood PVC C £ 119.99 £473.7 Save £53.71(31%) 22 Reviews	Offline Cutter
VEVOR 3KG Rotary Tum Polisher Finisher 45W w/ Rocks Stone £ 45.99 95 Reviews	/iewed This	3018 Pro CNC R. Offline Controller Machine 10000R £ 120.99 £ Save £59.86(33 9 Reviews	Router 3 Axis w/ r CNC Engraving RPM 6-180-86 3%) Customer Return & Re	Attachment 2 Inch Ope Stone Setting £ 59.99 &88.06 Save £28.07(32%) 82 Reviews Service fund	ening Full Set	Machine Engraver w/ Controller Wood PVC Controller Wood PVC Co. £ 119.99 £473-7 Save £53.71(31%) 22 Reviews Newsletter Email Address	Offline Cutter
VEVOR 3KG Rotary Tum Polisher Finisher 45W w/ Rocks Stone \$45.99 95 Reviews	liewed This liewed This liewed This liewed This liewed This	3018 Pro CNC Rooffline Controller Machine 10000R £ 120.99 £ Save £59.86(33) 9 Reviews	Router 3 Axis w/ r CNC Engraving RPM 6-180-86 3%) Customer Return & Re	Attachment 2 Inch Ope Stone Setting £ 59.99 £88.06 Save £28.07(32%) 82 Reviews Service fund tes & Policies	ening Full Set	Machine Engraver w/ Controller Wood PVC Controller Wood PVC C £ 119.99 £479.7 Save £53.71(31%) 22 Reviews	Offline Cutter
VEVOR 3KG Rotary Tum Polisher Finisher 45W w/ Rocks Stone & 45.99 95 Reviews Get to Know us About VEVOR Contact Us	/iewed This /iewed This bler Jewelry Beads for Let Us Help & F Your Act Your Ore	3018 Pro CNC Rooffline Controller Machine 10000R £ 120.99 £ Save £59.86(33) 9 Reviews	Router 3 Axis w/r CNC Engraving RPM Customer Return & Re Shipping Ra	Attachment 2 Inch Ope Stone Setting £ 59.99 £88.06 Save £28.07(32%) 82 Reviews Service fund tes & Policies thods Program	Sign Up For Our N	Machine Engraver w/ Controller Wood PVC Controller Wood PVC Co. £ 119.99 £473-7 Save £53.71(31%) 22 Reviews Newsletter Email Address	Offline Cutter

